



NORITZ[®]

40, 50, AND 75 GALLON TANK REPLACEMENTS

EZ SERIES

EASY DIRECT TANK REPLACEMENT

EZTR BUNDLE

BUNDLED FOR
**QUICK
 INSTALLATION**



EZTR40



EZ98



EZ111




**SAVE TIME -
 SAVE MATERIAL COST**


ACCESSORIES INCLUDED

All venting and isolation valves are included in the bundled pack for quick and easy installation. Stop worrying about having all your parts for installs with the EZ Series Bundle Packs.

ISOLATION VALVES / PRV INCLUDED



25FT INCLUDED



FLEX VENT CONVERSION KIT




(EZTR50 AND EZTR75 ONLY)


ALUMINUM FLEX SLEEVE




**FLEX FEEDER
 BASE JUNCTION SUPPORT
 BASE JUNCTION ADAPTER**






**TOP FLEX SUPPORT
 RAIN CAP**



**RIGID 45 ELBOW
 2" FLEX VENT GASKET**



SPECIFICATIONS

EZTR & EZSERIES		VENTS THROUGH EXISTING, ROUND 3" OR 4" B-VENT		
				
MODEL	EZTR40	EZTR50 (EZ98)	EZTR75 (EZ111)	
GQ Reference Number	NRC663-FSV-NG	GQ-C2859WX-FF US NG	GQ-C3259WX-FF US NG	
Vent Type	Flex Vent	Convertible Vent	Convertible Vent	
Dimensions (inches)	27.2 x 18.3 x 9.4	27.0 x 18.5 x 12.8	27.0 x 18.5 x 12.8	
Weight (lbs)	50 lbs.	79 lbs.	79 lbs.	
Min. / Max. Btuh	15,000 - 120,000	18,000 - 180,000	18,000 - 199,900	
Energy Factor	0.91	0.97	0.97	
Max. Hot Water Capacity	6.6 GPM	9.8 GPM	11.1 GPM	
Water Inlet	3/4"			
Hot Water Outlet	3/4"			
Gas Inlet (1/2 in. capable)	1/2" (1/2 in. up to 100 ft.)	3/4" (1/2 in. up to 50 ft.)	3/4" (1/2 in. up to 30 ft.)	
Temp. Settings	115 - 140°F (In 5° Intervals)	100-140°F (In 5° intervals)	100-140°F (In 5° intervals)	
Default Temp. Option	120, 130, 135, 140°F	120, 125, 130, 140°F	120, 125, 130, 140°F	
Warranty	12-year warranty on heat exchanger, 5-year warranty on parts & 1-year reasonable labor*			
Ultra Low NOx	Yes			
Quick Connect	No	Yes		
Remote Included	Digital Display	Yes		
Min. / Max. Flow Rate	0.5 GPM / 6.6 GPM	0.5 GPM / 9.8 GPM	0.5 GPM / 11.1 GPM	
High Altitude Approved	Up to 3,500 ft.	Up to 10,000 ft.	Up to 10,000 ft.	
Wireless Compatible	Yes			
EZTR / EZ SERIES OPTIONS				
Bundle	✓	✓	✓	
Sold Seperately	-	✓	✓	

VERSATILE CONFIGURATIONS



EZTR4.0

Traditional water heaters have top mounted water connections so why shouldn't tankless do the same? We've designed the EZ series with this in mind for truly quick swap out and installation.

- » Dual 316 L Stainless Steel Heat Exchangers
- » Quick Connect
- » Top Mounted Connections
- » Wireless Capable
- » Common Vent Capable
- » Altitude up to 10,000 ft.
- » Versatile Venting Options
- » 1/2" Gas Compatible

TOP MOUNTED CONNECTION

For faster, cleaner installation

DUAL STAINLESS STEEL HEAT EXCHANGER

Built stronger to last longer

VERSATILE VENTING

Supports multiple configurations

2" and 3" PVC

MEET THE EASIEST TANKLESS YOU WILL INSTALL

ANATOMY OF THE DIRECT TANK REPLACEMENT

FEATURES

- » 18,000 - 180,000 BTU
- » 9.8 MAX GPM
- » .97 ENERGY FACTOR

WIRELESS COMPATIBLE

With Adapter

1/2" GAS COMPATIBLE

BEFORE

AFTER

EZ SERIES ACCESSORIES



SV-CK-2

2" SV Conversion Kit



EZ2-CK

Flex Vent 2"
Conversion Kit



VC-6


Outdoor Vent Cap



PVC-2CT

PVC-3CT

PVC Concentric Termination





EZ-2-FVK-1

25' Flex Vent Kit

EZ-2-FVK-2

35' Flex Vent Kit

**ISOLATION
VALVES**



WIRELESS COMPATIBLE

Using our NWC Adapter, your EZ series unit allows monitoring and troubleshooting capabilities through our Noritz Connect app for iOS and Android.

**WIRELESS
ADAPTER**



WHY NORITZ?

TECHNOLOGY LEADER IN HOT WATER HEATING

Noritz has been an innovator in the water heating industry for over 60 years. We introduced the first modern, electronically controlled tankless hot water heater in 1981 and we remain the leader in energy savings and superior hot water delivery today.



REGISTER YOUR PRODUCT AT

NORITZ.COM/HOME-OWNERS/WARRANTY



RESIDENTIAL WARRANTY

Noritz offers a 12-year warranty on the heat exchanger and a 5-year warranty on parts and 1-year reasonable labor. Labor will be paid to an authorized Noritz Service Representative on pre-approved warranty repairs.



SUPPORT SITE & CALL CENTER

Noritz provides two customer service initiatives - a Technical Support Website and an In-House Call Center - with the goal of delivering information more quickly and efficiently to customers, whether their preferred method is online or the telephone.

SUPPORT.NORITZ.COM - 866.766.7489



REBATE PROGRAM

Many local utility companies are recognizing the benefits of tankless water heaters and are encouraging this through rebates. Check with your installer, local utility company or www.noritz.com/rebates for any available rebates in your area.



ENERGY STAR

By heating water only when you need it, ENERGY STAR qualified tankless water heaters save the typical family more than \$100 per year on gas bills compared to a standard storage tank model. Larger families can save even more.